


Curcumin Boswellia

Optimized absorption with Phytosome® technology



Powerful anti-inflammatory relief for:

- Chronic inflammation
- Joint pain and tendonitis
- Acute and chronic pain
- Musculoskeletal conditions

MERIVA® Curcumin Phytosome® CASPEROME® Boswellic acid Phytosome®

Curcumin Boswellia

Joint Pain & Inflammation Inflammation et douleurs articulations

















Curcumin Boswellia

Curcumin and Boswellia together possess powerful anti-inflammatory and anti-oxidant action by controlling the natural anti-inflammatory response and preventing the cascade that leads to chronic inflammation. They have been clinically proven to relieve joint pain due to inflammation, decrease inflammatory markers in inflammatory bowel conditions, and improve functional recovery in arthritis and musculoskeletal conditions.

Decreases inflammation by regulating the cell-signalling pathways involved in the inflammatory response.

Phytosome® Technology

Phytosome® is based on a phospholipid complex delivery system that contains a high bioactive molecular ingredient to lipid ratio. This complex leads to improved absorption of plant phenolics (phytochemicals including curcumin) and terpenoids (including Boswellic acid). With enhanced absorption through Phytosome® technology, MERIVA® and CASPEROME® are both highly bioavailable and optimally absorbed for desired anti-inflammatory therapeutic effects.

MERIVA® Curcumin Phytosome® is a patented curcumin extract containing all 3 fundamental curcuminoids that are naturally found in turmeric.

CASPEROME® Boswellic acid Phytosome® is a purified extract rich in triterpenoid acids from the gum resin of Boswellia serrata.

Practitioners Use Curcumin and Boswellia for:

- Acute and chronic pain and inflammation
- ▶ Joint pain and inflammation
- Arthritis and osteoarthritis
- ▶ Tendonitis, Achilles tendonitis, epicondylitis
- Improve physical function in musculoskeletal conditions



- Semalty A, Semalty M, Riwat MSM, Franceschi F. Supramolecular phospholipidspolyphenolics interaction: the PHYTOSOME strategy to improve the bioavailability of phytochemicals. Fitoterapia 2010;81(5):306-14.
- Abdel Tawab M, Werz O, Schubert-Zsilvecz M. Boswellia serrata an overall assessment in vitro, preclinical, pharmokinetic and clinical data. Clin Pharmacokinet 2011;50(6):349-69.
- 3. Di Pierro F. et al. Comparative evaluation of the pain-relieving properties of a lecithinized formulation of curcumin (Meriva®), nimesulide, and acetominophen.
- 4. Gupta I. et al. Eur J Med Res 1997:2(1):37-43
- 5. Gupta I. et al. Planta Med 2001; 67(5):391-5
- 6. Khajuria A. et al. Vaccine 2007;25(23):4586-94
- 7. Gerhardt H. et al. Z Gastroenterol 2001;39:11-7
- 8. Senjuta K. et al. Arthritis Res Ther 2008;10(4): R85
- Pellegrini L. et al. Managing ulcerative colitis in remission phase: usefulness of Casperome®, an innovative lecithin-based delivery system of Boswellia serrata extract. Fur Rev Med Pharmacol 2016:20:2695-2700
- 9. Belcaro G. et al. Eur Rev Med Pharmacol Sci 21 (9);2249-51. May 2017.

Curcumin Boswellia



Medicinal Ingredients: Each capsule contains:

Non-medicinal Ingredients: Hydroxypropyl methylcellulose, microcrystalline cellulose, Oryza sativa (rice) powder, silicon dioxide.

Recommended Dose (adults): 1 capsule 3 times per day.

Caution/Warnings: Consult a health care practitioner prior to use if you have an existing medical condition or if you are taking other medications or if you are pregnant or breastfeeding. If symptoms persist or worsen, consult a health care practitioner. This product contains soy lecithin.

Known Adverse Reactions: With Boswellia containing products, hypersensitivity (e.g. allergy) has been known to occur. Mild gastrointestinal disturbances such as diarrhea, abdominal pain, heartburn, nausea and vomiting has also been noted. In either case, discontinue use.

NPN 80082123 • 60 caps

Meriva® and Casperome® are Registered Trademarks of Indena S.p.A., Italy.









Quality. Excellence. Beyond Medicine.